File and Directory Operations

OPS102 Week 3 Class 1

Tiayyba Riaz/John Sellens

May 21, 2024

Seneca Polytechnic

Outline

Files in Linux/Unix

Learning About Commands

File and Directory Operations

File Globbing

Files in Linux/Unix

Learning About Commands

File and Directory Operations

File Globbing

Files in Linux/Unix

- $\cdot\,$ Data is saved in files
- In Linux/Unix we *really* like text files
- For data, presentations, configuration, logs, and more
- The system and shell provide "easy" ways to deal with files
- More about file details next week

Learning About Commands

- There is extensive documentation readily available on Linux/Unix systems
- Less so on Windows, though commands often provide help e.g. "dir /?"
- \cdot The "man" (manual) command provides access to most documentation
- Man pages are divided into sections see "man man"

File and Directory Operations

- Creating and removing directories
- Moving files and directories
- Copying files/directories
- Creating and deleting files
- Working with file contents

Important File Management Skills

- $\cdot\,$ Create files and directories
- \cdot Read the contents of files
- Copy files for backup purposes
- Move or rename incorrectly spelled filenames
- View text file contents without the danger of editing or corrupting those files.
- Remove files
- Check for differences between a couple of files
- Obtain information regarding the status of a file and information regarding the file's contents

We have learned to do these operations in a GUI, now we will learn how to do them on a command line.

File and Directory Operations

| Linux | Windows | Usage |
|-------|--------------------|------------------------------------|
| mkdir | mkdir | Create directories |
| mv | move | Move/Rename files/directories |
| - | rename | Rename files/directories |
| ср | сору | Create a copy of files/directories |
| rm | del | Remove files/directories |
| rmdir | rmdir | Remove empty directories |
| rm -r | deltree | Recursive directory removal |
| touch | - | Create empty file/update time |
| - | copy nul: file.txt | Create empty file |

- Recall the "cd" command change directory
 - There's also "pushd" and "popd"
 - These are shell commands (or system library "chdir()")
- "mkdir" creates one or more directories
 - The "-p" ensures the path/parents exist
- "rmdir" removes one or more empty directories
 - Recursive remove "rm -r" removes non-empty directories

File Operations

- \cdot Create files with a text editor
 - Or output from program. output redirection (next week), etc
- "touch" will create an empty file (limited utility) or change the file's timestamp
- Copy and move "cp" and "mv" mostly do what you expect
 - One or more sources to a destination
 - Destination can be an existing directory
 - "mv" also renames moves to a new name
- Remove "rm" removes files or with "-r" it removes directories recursively

Linux/Unix systems have many tools for working with text files, Windows less so.

| Linux | Windows | Usage |
|------------|----------------|--------------------------------------|
| cat | copy file con: | Display the contents of file |
| | type | all at once on screen |
| more, less | more | Display the contents of file |
| | | one screen at a time |
| head, tail | - | Display the beginning or end of file |
| file | - | Determine the type of file |

In Windows you would typically need add-on programs for most of these. Or WSL: Windows Subsystem for Linux.

Working with Text Files (cont'd)

| Linux | Windows | Usage |
|-------|---------|---|
| sort | - | Sort the lines of file |
| uniq | - | Display identical consecutive lines only once |
| cut | - | Remove undesired columns |
| | | from your data in file |
| tr | - | Translate/replace the occurrences of |
| | | characters |
| grep | findstr | Find specific lines in a file |
| find | - | Find files matching specific |
| | | criteria in the filesystem |
| diff | - | Show the differences between two files |

File Globbing

File Globbing

- File globbing is a feature provided by the shell.
- By using special characters called wildcards, we can write a generic name that the shell will expand into the specific matching names.
- A wildcard is a symbol with a special meaning that can be used to substitute for one or more characters.
- When you type a command and press the enter key, bash performs file name expansion on any wildcards on the command line before it executes the command.
- So you type a short form and it is expanded into the full list of matching files (or directories) before the shell executes the command. e.g.

 tlayyba@ubuntu:~\$ echo I am learning filename expansion.

 I am learning filename expansion.

 tlayyba@ubuntu:~\$ echo *

 Courses Desktop Documents domain.crt domain.key Downloads

 EncDec mdStest.txt Music Pictures privkey.pem pubkey.pem

 OPS102 W3C1 - File and Directory, Public secret.txt sign.sh Templates test.txt Videos

How Does Globbing Work?

- When the enter key is pressed, the shell automatically expands "*" into the names of all the files and directories in the current working directory before executing the echo command.
- The echo command never receives "*" as an argument, it only receives the result of the filename expansion.
- Wildcards can be used with any command such as ls, rm, cp, etc.
- Example: "rm *.pdf" deletes all pdf files in the current directory.
- "glob" is short for "global" (or so says wikipedia) and was originally a separate command, or so says **"man 7 glob"**
 - https://en.wikipedia.org/wiki/Glob_(programming)

File Globbing: Wildcard Characters

- The bash shell (like most shells) recognizes 3 types of globbing
 - Windows command has more limited globbing features
- An asterisk "*" (or star) represents zero or more characters
- A question mark "?" represents exactly one character (any character)
- A set of square brackets represents any one character from the list inside the brackets
 - e.g. "[pdq]" represents a p, d, or q.
 - \cdot e.g. <code>"[a-m]"</code> represents a lower case letter from the range a through <code>m</code>.
 - e.g. "[a-zA-Z]" represents any single letter.

File Globbing: asterisk *

- The asterisk "*" is interpreted by the shell to generate filenames by matching the asterisk to any combination of characters (even none).
- When "*" is used with the command ls (or any command) and no path is given, the shell will use filenames in the current directory.

| Pattern | Interpretation | |
|-------------|--|--|
| *.pdf | This expands to all file or directory names that end in .pdf | |
| ls *.pdf | Lists all files (or directories) with the extension .pdf | |
| | e.g. myfile.pdf, cities.pdf, 123.pdf | |
| rm img*.jpg | m img*.jpg Delete all files with names starting "img" and ending ".jpg' | |
| | e.g. img001.jpg, imgface.jpg, img500.jpg | |

File Globbing: question mark?

| • | \cdot The question mark "?" is interpreted by the shell to generate filenames by | | |
|---|--|--|--|
| | matching the question mark to any exactly one character (any character). | | |
| | Pattern | Interpretation | |
| | ls File?.pdf | Lists all files (or directories) with names starting | |
| | | with File, followed by any one character, | |
| | | and then ending with .pdf | |
| | | e.g. Filea.pdf, File1.pdf, File2.pdf, FileC.pdf | |
| | | But not File12.pdf – why? | |
| | rm img?.jpg | Delete all files with names starting img , | |
| | | followed by one more character, and ending .jpg | |
| | | e.g. img0.jpg and img2.jpg would be deleted | |
| | | But not img50.jpg | |

File Globbing: square brackets []

- A set surrounded by square brackets [] is called a character class.
- It matches any one of the characters contained in the class.
- The class may include ranges; order within the class is not important.

| Pattern | Interpretation |
|------------------|--|
| ls File[123].pdf | List File1.pdf, File2.pdf and File3.pdf (if they exist). |
| | It will not list File123.pdf (if it exists) – why? |
| rm img[012].jpg | Delete files that start with img, |
| | followed by either 0, 1, or 2, and ending with .jpg. |
| | Examples: img0.jpg, img1.jpg and img2.jpg |

- If the first character in a character class is an exclamation mark ! then the class is inverted.
- i.e. The character class will match any character that is not listed in the class.
- For example
 - [!a-z] matches any character that is not a lower case letter.
 - [!0-9] matches any character that is not a digit.

The command "rm *123??.jpg" will delete which of the files from the following list?

- Image1230.jpg
- City12345.jpg
- Book12391.jpg
- Pic123me.jpg
- Img123you.jpg